

# EVERARTWOOD®

High quality laminated aluminum profiles











ARTPORT® - Carports

Entrance area & front garden



# Concepts and products for your building and garden

environment around buildings for every person every day. People meet fellow human beings or enjoy the connection with nature in the garden. In Takasho's product world, these areas form the "5th ROOM" as an important part of the daily living space, alongside the living areas with kitchen, living room, dining room and bedroom.

Through the harmonious arrangement of the "5th ROOM", from the entrance area to façade and fence elements or rooms in the garden to the atmospheric lighting, all 5 senses of residents and guests are addressed. This creates an atmosphere that invites people to

There are many encounters with the spend time there by day and by night and fosters a state of wellbeing.

> Inspired by Japanese garden culture with the meaning of the seasons and the elements of wind, light, water and greenery, Takasho has developed a range of matching products for this purpose, which can be ideally combined with each other, especially in the combination of building and garden design.

> Takasho supports architects, planners and end customers from the very beginning in the development of suitable harmonious overall concepts to the execution of elegant solutions.

#### The product series

#### EVER ART WOOD®

Laminated aluminium profiles

#### EVER ART BOARD®

Laminated aluminium composite panels

#### EVER BAMBOO®

A perfect replica of natural bamboo

Traditional craftsmanship & premium quality

Extra-low-voltage lighting system for garden & exterior

#### ARTPORT®

Aluminium in wood design for the carport

#### ... offer tailor-made solutions for

- → Facade, ceiling or wall claddings
- → Room solutions for terraces and garden canopies
- → Fences & visual protection
- → Garden & outdoor lighting
- → Gates, entrance areas and enclosures
- → Carports
- → A wide range of accessories



Japanese garden culture




Atmospheric lighting



Terrace roofing



Garden rooms



# Commercial area




EVER ART WOOD : C-System Cladding rectangle 50x30 White Classic



EVER ART WOOD : Material 60x30 Brown Gray



EVER ART WOOD : C-System Cladding rectangle 85x30 Chestnut



EVER ART WOOD : U-System Louver 30x50 Brown Ebony




EVER ART WOOD : U-System Louver 40x100 Natural Pine



EVER ART WOOD : CT-System Louver 30x50 Blue Birch

# Entrance design




EVER ART WOOD : C-system Cladding rectangle 30x50 Black Ebony



EVER ART WOOD : Material 60x30 Dark Pine



EVER ART WOOD : Louver reversible Unit Black Ebony





# ART WODD®

A place for gentle reflection and understated warmth. Bring tasteful elegance to your household with the Ever Series of lifestyle products.

# Private



EVER ART W00D : Material 30x50 Natural Pine



EVER ART WOOD : Ever Screen, Kyoto Kuro Cha



EVER ART WOOD : Material 18x12,40x12,80x12,102x12 Matt Black, Brown Ebony, Natural Pine

# Apartment



EVER ART WOOD : Material Brown Ebony




EEVER ART WOOD : U-System 30x50 White Classic





EVER ART WOOD : Material round board 100 Brown Ebony



# EVER ARWOOD®

A place for gentle reflection and understated warmth. Bring tasteful elegance to your household with the Ever Series of lifestyle products.



# Garden & Exterior



EVER ART WOOD : Material 60x30 Chestnut



EVER ART WOOD : Material Rusty Dark



EVER ART WOOD : Material Dark Pine, Brown Ebony



EVER ART WOOD : Louver Unit 30x60 Brown Ebony



# Lighting Face



EVER ART WOOD : Lighting face Black Ebony



EEVER ART WOOD : Lighting face Dark Pine



# NATURALTOUCH

Unlike matte-finish surfaces, this series of products features a delicately textured surface for an extremely realistic result.









IAPANESE





Dark Pine







Charcoal Gray

Natural Pine






White Pine

Light Oak















Spring Oak






























EVER ARTWOOD®
DESIGN VARIATION

\*Natural touch surface (embossing texture)

30

Orange Birch

# METAL TEXTURE





**JAPANESE** TEXTURE






Rusty Dark\*



Glitter Silver\*




Green Bamboo




Antique Bamboo



Black Charcoal



Matt White



Matt Light Gray

Rusty Copper\*



Matt Dark Gray




Chestnut\*



Hinoki



Straw



Matt Black



Stainless



Kyoto Kare Iro\*



Ryusen Loess



Ryusen White



Sunahada loess






Kyoto Kara Cha\*





Sunahada White







Kyoto Kuro Cha\*

Kyoto Kaki Cha\*



EVER ARTWOOD® DESIGN VARIATION





# **BOARD**



Board **Real 100 & 150** 100x10xL4000 t:1.0mm 150x10xL4000 t:1.0mm




Board Round 120 120x13xL4000 t:1.2mm



Board Flat 75x8	
Size in mm	
75x8xL3700	t:1.2mm



Size in mm	
85x15xL4000 t:	1.0mm



Board Flat 150x20 Board Flat 200x20 150x20xL4000 t:1.3mm 200x20xL4000 t:1.5mm



Board Flat 18x12	
Size in mm	
18x12xL4000	t:0.9mm



Board Flat 40x12 40x12xL4000 t:0.9mm




**BOARD & SLIT** 









Board Flat 102x12 102x12xL4000 t:1.2mm









JEH 70	
Size in mm	
75x75xL4000	t:1.2mm




SLII 85	
Size in mm	
85x85xL4000	t:1.3mm



SLII IUU	
Size in mm	
100x100xL4000	t:1.5mm



SLII <b>120</b>	
Size in mm	
120x120xL4000	t:1.6mm



JLII SLEEPER	
Size in mm	
85x170xL4000	t:1.8mm





# **LOUVER**




Louver 20x20	
Size in mm	
20x20xL1800	t:1.2mm




_ouver <b>40x20</b>	
Size in mm	
40x20x1 3700	t∙2 0mm



Louver 50x30 50x30xL4000 t:1.0mm



Louver 60x30 extra thickness 60x30xL4000



Louver 60X30	
Size in mm	
60x30xL4000	t:1.2mm



Louver 85x30 extra thickness 85x30xL4000 t:2.0mm



Louver 85x30 85x30xL4000 t:1.0mm



Louver Furring strip 30x50xL4000 t:1.2mm



# **COLUMN**



Column <b>40</b>	
Size in mm	
40x40xL4000	t:1.5mm



Column <b>60</b>	
Size in mm	
60x60xL4000	t:2.0mm




Column <b>75</b>	
Size in mm	
75x75xL4000	t:2.0mm



t:2.5mm





t:2.5mm



Louver frame	
Size in mm	
21x43xL4000	t:3.0mm











# PIPE







Custom vacuum-sealed end caps added to the realism of the timber look battens.


Size in mm	
ø22xL4000	t:1.0mm
ø30xL4000	t:1.0mm
ø40xL4000	t:1.7mm
ø60xL4000	t:1.7mm
ø80xL4000	t:2.0mm
ø90xL4000	t:2.0mm




# **CT-SYSTEM WALL CLADDING**













## Assembly



#### All kinds of EVER ARAT WOOD materials can be louver fencings with invisible fixings.



39





# C-SYSTEM WALL CLADDING



A two part concealed fix system, C-SYSTEM directly fixed to structures and provides a finish where no visible screws are desired.









The click system enables quick and lt scores with its flexibility and cost-efeasy installation of the façade cladding. The individual elements can be easily connected to each other and used in a variety of ways. The easy-to-install façade system is ideal for new build and renovation projects.

time-saving and cost-efficient. The sophisticated installation method also impresses with its appearance without visible connecting fittings.


















# **C-SYSTEM WALL CLADDING**











Size in mm	
24x27xL3650	t:1.0mm


Size in mm	
30x30xL3650	t:1.0 mm


Size in mm	
30x50xL4000	t:1.2 mm

Size in mm	
30x85xL4000	t:1.2 mm























50x150xL4000



\*10 YEAR WARRANTY









t:1.5 mm















# **C-SYSTEM WALL CLADDING**











t:1.0 mm


30x18xL3650






100x12xL4000 t:1.0 mm 40x40xL3650 t:1.2 mm 50x50xL3650	











t:1.0 mm

100x12xL4000















**U-SYSTEM** LOUVER 20














#### LOUVER 20

20x40         PT-15         210           20x60         PT-15         150           20x80         PT-15         130           20x100         PT-15         105	Size in mm	Fitting	MOQ(m)
20x80 PT-15 <b>130</b>	20x40	PT-15	210
00 400 DT 45	20x60	PT-15	150
20x100 PT-15 105	20x80	PT-15	130
200.100 1110 100	20x100	PT-15	105

#### LOUVER 25

Size in mm	Fitting	MOQ(m)
25x50	PT-15	175
25x60	PT-15	150
25x80	PT-15	125
25x100	PT-15	110

#### LOUVER 30

Si	ize in mm	Fitting	MOQ(m)
30	0x50	PT-25	155
30	0x60	PT-25	140
30	0x75	PT-25	125
30	08x0	PT-25	120
30	0x100	PT-25	100
30	0x150	PT-25	60

#### LOUVER 40

Size in mm	Fitting	MOQ(m)
40x40	PT-25	155
40x60	PT-25	130
40x80	PT-25	110
40x100	PT-25	90


#### LOUVER 50

Size in mm	Fitting	MOQ(m)
50x50	PT-40	125
50x60	PT-40	125
50x100	PT-40	75
50x150	PT-40	55
<u> </u>		

#### LOUVER 75

S	ize in mm	Fitting	M0Q(m
7	5x75	PT-40	60

### **U-SYSTEM FURRING STRIP**



LOUVER FURRING STRIP

Size in mm		В
50x50xL4000	25	50
50x50xL3960	30	60
50x50xL4000	40	80
50x50xL4000	50	100
50x50xL4000	62.5	125
50x50xL3900	75	150
50x50xL4000	100	200

Special intervals (A&B) is also available Aluminum/laminated


#### **U-SYSTEM COVER**



DRAIN COVER

Size in mm	
Available for all sizes	t:2.0mm

## **U-SYSTEM FIXING**



OUVER FITTING (SPONGE)	

Code	Size in mm	
PT-15	L50	
Stainless steel		



PT-40 L40

Stainless steel



LOUVER END CAP

Size in mm	
Available for all sizes	t:1.5mm
Steel/painted	




LOUVER BOLT&NUT SET

	Size in mm	
	M10x20	
	Stainless steel	


#### STRINGER L SHAPE FIXING

STRINGER E SHALL I IXINO		
Size in mm		
50x50x70mm	t:4.0mm	
Aluminum		

#### Assembly



Turn the louver fitting (PT-25, PT-40) into the drain by rotating it 90 degrees at the required position. Secure the cap to the louver with a screw. The louver mounting bracket can be inserted even after attaching the cap first.



#### **END CAP** material: ABS



for Board
Description
Board Real 100
Board Real 150
Board Round 120
Board Flat 75x8
Board Flat 85x15
Board Flat 150x20
Board Flat 200x20
Board Flat 18x12
Board Flat 40x12
Board Flat 80x12
Board Flat 102x12



Description	
Rectangle 50x30	
Rectangle 85x30	
Real 100x12	
Square 20x20	
CT 60x30	
Slimline 30x15	
Slimline 30x10	
Dome	
Curve	
Crescent	
Round	
Plank	
Oki	




for Louver Louver 20x20 Louver 40x20 Louver 50x30 Louver 60x30 & extra thickness Louver 85x30 & extra thickness Louver Foundation frame




for Slit & Column		
Description		
for 40x40		
for 60x60		
for 75x75		
for 85x85		
for 100x100		
for 120x120		
for 85x170		

# **CONNECTING JOINT**

material: ABS







Ī	Description
	Description
f	or Louver 40x20
f	or Louver 50x30
f	or Louver 60x30
f	or Slit 60x60



Frame to Frame for Louver Foundation frame



Corner Joint	
Description	
for Louver 50x30	

#### **SCREW**

material: Stainless steel

For Materials

Screw 4x19 Screw 4x25

The screw head is painted in the color

**LAMINATE STICKER** 



For Materials

Sticker W280xl 1000mm Sticker ø15mm x10 pcs Limited colors available.







material: Aluminum/anodized



djuster basement	Inner fixing
Size in mm	Description
V18.5xD90xL4000	For Slit 75x
	F 61: 0F



Inner fixing set	The base and fixings make it easy to install to your
Description	preferred specifications
For Slit 75x75	
For Slit 85x85	



# **CORNER FIXING FIXING FOR SLEEPER 85x170**


For Slit 85x170


For Slit 100x100

For Slit 120x120


material: Stainless steel

51







material: Aluminum/anodized



Fixing for <b>SLEEPER 85x170</b>	
Description	
Building connector set	
Corner connector set	





## LIGHTING FACE FRAME



Lighting Face Frame

Size in mm		
14/0000	H2250	
W2000	H2800	
MODO	H2250	
W2700	H2800	
W4000	H2250	
	H2800	
N// 000	H2250	
W6000	H38UU	



**BODY Color** 







#### LED Color








Additionally, it is required to have TAKASHO LEDIUS LOWVOLTAGE SYSTEM kits.



# **LIGHTING FACE SLIT**






Design freely according to the building and exterior.



Additionally, it is required to have TAKASHO LEDIUS LOWVOLTAGE SYSTEM kits.

# **Easy construction**

The completely waterproofed lighting head is very easy to install on the aluminum column.



#### **EVER ART WOOD material**


By using the same texture of EVER ARTWOOD, the total coordination of the garden and the exterior can be combined with lighting.





# Any height as you like to get

This is an aluminum material which makes cutting easily. You can design to your preferred height according to the landscape design.















#### Takasho Co.,Ltd.

20-1, Minami-akasaka, Kainan, Wakayama, 642-0017, Japan

Tel: +81-(0)73-486-2533 Fax: +81-(0)73-486-2563

email: takasho-global@takasho.co.jp web: https://takasho.co.jp



#### Takasho Co., Ltd. Zweigniederlassung EU

Sulzbacher Str. 199, 71522 Backnang, Germany

Tel: +49 (0)7191-96933-0 Fax: +49 (0)7191-96933-20 email: contact@takasho.eu web: https://takasho.eu https://alu-artport.de



#### Takasho Garden Living India Pte. Ltd.

E-17, Siddhi Vinayak Towers, Behind DCP Office, Off. S. G. Highway, Makarba, Ahmedabad 380 051Gujarat, India Tel: +91-79-4898-251

> email: customerservice@takasho.in web: https://takasho.in



#### Takasho Vietnam Office

The 4C floor of 86 Xuan Thuy St. Thao Dien Ward,
District 2, HCMC, Vietnam

Tel: +84-(0)8-6656-1648 Fax: +84-(0)8-6656-1648



#### Takasho Shanghai Office

Flat 25G, No379, Pudong(S) Rd., Shanghai China, 200120

Tel: +86-21-3383-1280 Fax: +86-21-3383-1279



#### VegTrug Limited

2B Wyncolls Road Colchester Business Park Colchester, Essex, CO4 9HU, United Kindom

phone: +44-1206-230025 web: https://www.vegtrug.com

#### ¥₩.

#### Takasho Australasia Pty. Ltd.

32, Mickle Street Dandenong South Victoria 3175, Australia

Tel: +61-3-9706-4438 Fax: +61-3-9706-4439

email: ahogg@takasho.com.au web: https://takasho.com.au



#### Takasho Korea Branch Office

19-66 Kyodonggil, Yangseung-myeon Anseong-si, Gyeonggi-do, Korea

Tel: +82-31-674-6150 Fax: +82-31-674-6152

email: takasho-global@takasho.co.jp web: http://takasho.co.kr



#### Hongkong Takasho Holdings Co., Ltd.

8/F., Richmond Comm. Bldg.109 Argyle St., Mong Kok, Kowloon, Hong Kong Tel: +86 792-481-5673



# Jiangxi Takasho Import-Export Trade Co.,Ltd. Jiujiang Takasho Gardening Product Co.,Ltd.

South Garden, Gold Industry Garden, Ruichang City, Jiangxi Province, China, 332200

> Tel: +86-(0)792-4815788 Fax: +86-(0)792-4815675



#### VegTrug USA Inc.

208 Progress Drive Montgomeryville PA 18936 United States of America

Tel: +1-(888)-908-2008