




LEDIUS

Extra-low voltage lighting system
for garden & exterior

— HIGHLY —
AUTHENTIC

QUALITY
FROM JAPAN



LEDIUS

Shine of LED became already a common sense in terms of talking about present lighting. "LED" "I"nspires "US" (our lives, and future). We set the concept word as **LEDIUS**.

5 main elements what the lightings fulfill.

FUNCTIONALITY Lighting that expands the night activity space

BEAUTY Lighting that creates a pleasant aesthetics

SAFETY Lighting that secures visibility and welcomes people

SECURITY Lighting that suppress crimes

VALUE Lighting that creates a new value


The creation of value



LEDIUS


HIGHLIGHTS THE BUILDING

The lights built into the main stairs are not only effective in terms of safety, but also can be seen as if each steps is independent and floating, so that modernity stands out and gives a sense of luxury.




The light source is placed where it can not be seen visually from the road as much as possible, and it is constructed to make the space elegantly. And the spot lighting illuminates the wall to make it look high and draws out its presence.


LIGHTING PLAN




LIGHTING PRODUCTS



HBB-D34S
Spot light



HAC-D12T
Flexible LED Bar



HBD-D09S
Inground light

Front yard



LEDIUS : **HAC-D12T** Flexible LED Bar



LEDIUS : **HBB-D61S** Graphic Spotlight water rings theme



LEDIUS : **HBD-D09S** Inground light **HBA-D07S** Wall spot light




LEDIUS : **HBE-D05T** Slit light

LEDIUS


CREATES PEACE AND RELAXATION

The expression of the warm lights and the silhouette of the plants that appear in the dark create a comfortable atmosphere and become a place where nature and people get together.


LIGHTING PLAN




LIGHTING PRODUCTS




HAC-D27T
Flexible LED Bar




HBC-D40S
Bollard light




HBB-D17C
Spot light



HHA-D12S
Water light



HBA-D25K
Wall light



HBC-D61P
EVER ART light

The light reflects on the gentle waves of the water surface and it will move to the wall. This is making various expressions in the garden.



Garden



LEDIUS : **HBB-D26G** Spot light **HBD-D08S** Inground light **HHA-D07S** Water light




LEDIUS : **HCD-D03G** Down light **HBC-D63P** EVER ART light **HBD-D02S** Inground light



LEDIUS : **HBF-D09H** Decoration light **HBF-D08H** Decoration light **HBB-D03B** Down light



LEDIUS : **HHA-D07S** Water light **HBD-D02S** Inground light




LEDIUS

MODERN JAPANESE GARDEN

Using lighting to create a line of light on transparent bamboo poles, the traditional Japanese garden has been modernized in just like cosmic atmosphere.



LIGHTING PLAN



The point of approaching light that leads to the entrance is to have strong spot light directed to the trees to bring out symbolic brightness. Then designed the street with softer lighting. This strength creates an exquisite balance.


LIGHTING PRODUCTS



LM-J68W
LED module 68




HBC-D47S
Bollard light



HAC-D12T
Flexible LED bar



HGA-D13N
Japanese light



HBB-D17S
Spot light

Japanese garden



LEDIUS : HGB-D02K Japanese light



LEDIUS : HGB-H06B Japanese light HBB-D17S Spot light



LEDIUS : HGA-Y02K Japanese light



LEDIUS : HGB-D01K Japanese light HBC-D63P EVER ART light HBB-D17S Spot light



LEDIUS


GARDEN PHOTO STUDIO

This space was designed as a photo studio for day and night. Because the main pouch is white, it is planned to reduce the amount of lighting illumination power. In addition, because it is a space surrounded by high walls, you can make it a space with gentle lights by using reflection even not so much lightings.

The light combination from wall, ceiling and also reflection from the water surface, its space gets a fantastic atmosphere.



LIGHTING PLAN




LIGHTING PRODUCTS



HGD-D03K
Japanese light



HBB-D34S
Spot light



HBA-D18K
EVER ART light



HBB-D03G
Ceiling light

Contract



LEDIUS : **HBB-D12C** Spot light **HBB-008D** Spot light



LEDIUS : **HBB-D12C** Spot light **HBC-D32C** Bollard light



LEDIUS : **HBC-D37S** Bollard light **HBB-D17S** Spot light




LEDIUS : **HBB-D12C** Spot light

Just like the stars
that have come
down to the ground,
the beautiful lights
bloom in the hearts
of people.

LEDIUS

EXTRA-LOW VOLTAGE SYSTEM

Easy handling, safe and flexible! All in one with LEDIUS.




Just like the stars
that have come
down to the ground,
the beautiful lights
bloom in the hearts
of people.

LEDIUS

EXTRA-LOW VOLTAGE SYSTEM

Easy handling, safe and flexible! All in one with LEDIUS.



12 V: Recommended for small, compact projects

24 V: Recommended for middle to large projects



SYSTEM

24V

TRANSFORMER



24V Transformer

Cable




Cable for 24V

Connector




DryConn for 24V

Junction box



Wire Conduit



Light



Junction boxes, wire conduits and lightings are for 12v&24V both use.

12V



12V Transformer



Cable for 12V



DryConn for 12V

EVER ART LIGHT®

Lights that blend in the landscape.



with Nature



with Color



with Design



Design freely according to the building and exterior.

TEXTURES

Blend with the landscape

HEIGHTS

Suit the size for plants


DISTRIBUTIONS

Decide by lighting purpose



Easy construction

The completely waterproof lighting head is very easy to install on the aluminium column.



EVER ART WOOD material


By using the same texture of EVER ARTWOOD, the total coordination of the garden and the exterior can be combined with lighting.

→ See **page 43** for the color variations





53
colors

Any height as you like to get

This is an aluminum material which makes cutting easily. You can design to your preferred height according to the landscape design.



LEDIUS BOLLARD LIGHT



BOLLARD LIGHT

Provide safety, security and style with outdoor path lights. Bollard lighting illuminate your walkways and landscape while making a property seem larger with strategic placement.


WALL LIGHT

A great way to make a space feel more inviting and complete, and a key component of any layered lighting scheme. Wall lighting makes the area feel brighter and larger while creating a pleasing atmosphere.



LEDIUS WALL LIGHT

● 12V
● 24V

GOOD FITTING FOR EXTERIOR COLOR COORDINATION

							
HBA-D18P W105xD65xH105mm 3.4W 3000K 55lm	HBA-D18N W105xD65xH105mm 3.4W 3000K 55lm	HBA-D18R W105xD65xH105mm 3.4W 3000K 55lm	HBA-D22S W105xD65xH105mm 3.4W 3000K 55lm	HBA-D22G W105xD65xH105mm 3.4W 3000K 55lm	HBA-D18K W105xD65xH105mm 3.4W 3000K 55lm	HBA-D17A W120xD65xH120mm 4.1W 3000K 35lm	HBA-D17Y W120xD65xH120mm 4.1W 3000K 35lm


GOOD FITTING FOR EXTERIOR COLOR COORDINATION

						
HBA-D17C W120xD65xH120mm 4.1W 3000K 35lm	HBA-D21S W120xD65xH120mm 4.1W 3000K 35lm	HBA-D21G W120xD65xH120mm 4.1W 3000K 35lm	HBA-D17X W120xD65xH120mm 4.1W 3000K 35lm	HBG-D08P W404xD97xH95mm 4.5W 2900K 90lm	HBG-D08B W404xD97xH95mm 4.5W 2900K 90lm	HBG-D08E W404xD97xH95mm 4.5W 2900K 90lm

COMPACT & MODERN





							
HBG-D13S W100xD50xH43mm 1.8W 3000K 170lm	HBG-D13G W100xD50xH43mm 1.8W 3000K 170lm	HBG-D13K W100xD50xH43mm 1.8W 3000K 170lm	HBG-D02S W150xD82xH67mm 4.5W 2900K 64lm	HBG-D02G W150xD82xH67mm 4.5W 2900K 64lm	HBG-D02K W150xD82xH67mm 4.5W 2900K 64lm	HBG-D01S W82xD82xH82mm 4.5W 2900K 61lm	HBG-D01G W82xD82xH82mm 4.5W 2900K 61lm

COMPACT & MODERN

							
HBG-D01K W82xD82xH82mm 4.5W 2900K 61lm	HBG-D12S W110xD80xH110mm 4.5W 2700K 77lm	HBG-D12G W110xD80xH110mm 4.5W 2700K 77lm	HBG-D12K W110xD80xH110mm 4.5W 2700K 77lm	HBA-D04S W200xD85xH20mm 3.0W 2700K 105lm	HBA-D04G W200xD85xH20mm 3.0W 2700K 105lm	HBA-D04K W200xD85xH20mm 3.0W 2700K 105lm	HBF-D35K W120xD120xH178mm 5.0W 3000K 190lm



ON THE WALL

DECORATIVE

							
HBA-D24K W160xD183xH178mm 3.8W 3000K 275lm	HBA-D25K W100xD146xH152mm 5.0W 3000K 150lm	HBF-D28B W120xD120xH169mm 4.0W 2700K 224lm	HBF-D30B W120xD185xH295mm 4.0W 2700K 224lm	HBF-D18X W132xD160xH248mm 4.0W 2700K 224lm	HBG-D10S W120xD120xH163mm 4.0W 2700K 259lm	HBG-D10G W120xD120xH163mm 4.0W 2700K 259lm	HBG-D10K W120xD120xH163mm 4.0W 2700K 259lm

SIMPLE

STICK LIGHTS

		
HBA-D27K W800xD50xH22mm 2.0W 3000K 140lm	HBA-D30K W1600xD80xH23mm 4.5W 3000K 315lm	HBA-D33K W1570xD34xH69mm 5.2W 3000K 360lm




LEDIUS WALL SPOT LIGHT

• 12V
• 24V

CHOICE OF LIGHT INTENSITY



HBA-D14S OPTI S
W60xD125xH100mm
2.9W 3000K **250lm**



HBA-D15S OPTI M
W60xD139xH119mm
6.1W 3000K **550lm**



HBA-D16S OPTI L
W68xD148xH138mm
12.0W 3000K **1050lm**

OPTIONAL LIGHTING COVER & LENS FOR OPTIC EFFECTS



HOOD
Cut glare from
one direction



SNOUT
Cut glare from
all directions




SPREAD
Spread the light
into oval shape




DIFFUSER
Diffuse the light


WALL LIGHTING DECORATION




HBB-008D
W80xD125xH88mm
4.8W 3000K 16lm




HBB-009D
W80xD125xH88mm
4.8W 3000K 185lm



HBB-010D
W80xD125xH88mm
4.8W 3000K 154lm




HBA-D06S
W55xD75xH68mm
1.1W 3000K 85lm



HBA-D07S
W55xD75xH79mm
2.2W 3000K 105lm



HBA-D11L
W80xD137xH180mm
21.0W 3000K 1507lm



DIFFUSER LENZ
For HBA-D11L

HIGH POWERED



HBB-D11L
W160xD270xH268mm
31.5W 3000K 2000lm


WIDE-WALL LIGHTING



HAC-D15S
W300xD70xH102mm
3.4W 3000K 290lm



HAC-D16S
W600xD70xH102mm
6.3W 3000K 559lm



HAC-D17S
W900xD70xH102mm
9.0W 3000K 797lm



FOR CARPORT




HBA-D23S
W60xD136xH191mm
2.9W 3000K 250lm




HBA-D20S
W50xD59xH204mm
4.2W 3000K 200lm



HBA-D26S
W49xD41xH190mm
3.9W 3000K 270lm




GRAPHIC SPOTLIGHT




HBB-D57S
W119xD85xH294mm
3.3W



HEC-104K
Tree filter



HEC-105K
Flower filter




HEC-106K
Leaves filter



HEC-107K
Water rings filter

WALL SPOT LIGHT CARPORT LIGHT

This is an ideal way to add highlights to your garden, outdoor area and also to the building itself. Wall spotlights can be used excellently on façades as well as plinths.




INGROUND LIGHT

With a low profile, Recessed lighting is perfect for accenting architectural features, sculptures, trees and more.




- 12V
- 24V

FOR WALL




HBD-D085
W142xD142xH202mm
1.2W 3000K 80lm




HBD-D095
W142xD142xH203mm
3.1W 3000K 263lm

FOR WALL (SWING)




HBD-D13S
W152xD152xH203mm
3.6W 3000K 215lm




Possible to point the lightout by adjusting the lighting angle.

FOR WALL (Glareless)




HBD-D06S
W152xD152xH203mm
3.1W 3000K 186lm




HBD-D07S
W173xD173xH203mm
9.1W 3000K 570lm

FOR WALL (FREE MOUNTING)




HBD-D18S
W78xD100xH68mm
1.2W 2700K 1o0lm




HBD-D18C
W78xD100xH68mm
1.2W 2700K 1o0lm

FOR BUILDING




HBD-D14S
W142xD142xH203mm
6.8W 3000K 547lm




HBD-D15S
W165xD165xH204mm
14.4W 3000K 1230lm

FOR APPROACH / DECK (FLAT)




HBD-D02S
W68xD68xH155mm
1.0W 3000K 81lm




HBD-D16S
W68xD68xH153mm
1.0W 3000K 72lm


FOR APPROACH (HEAVY LOADING)




HBD-D04S
W142xD142xH202mm
1.4W 3000K 80lm



HBD-D05S
W142xD142xH203mm
3.6W 3000K 263lm



HBD-D19S
W140xD140xH211mm
2.6W 3000K 10lm



HBD-D20S
W140xD140xH211mm
2.6W 3000K 35lm





SPOT LIGHT

Make your yard come to life at night by highlighting trees and other features in your yard with Accent Landscape Lighting.




STANDARD



HBB-D32S W65xD105xH155mm 2.9W 3000K 200lm	HBB-D34S W65xD124xH169mm 6.1W 3000K 560lm	HBB-D36S W68xD140xH178mm 12.0W 3000K 950lm	HBB-D30S W30xD60xH300mm 1.0W 3000K 1113lm	HBB-D29S W30xD60xH500mm 1.0W 3000K 1113lm	HBB-D17S W86xD119xH153mm 2.7W 3000K 207lm
--	--	---	--	--	--



LEDIUS SPOT LIGHT



ADJUSTABLE

DECORATIVE

COMMERCIAL



HBB-D26G /D27G W70xD135xH169mm 1-6.0W 3000K 60-500lm	HBB-C28S W70xD135xH169mm 7.2-8.4W 2700-5000K 390lm	HBB-008D /009D /010D W80xD88xH125mm 4.8W 3000K 154lm	HBC-D10P W71xD168xH183mm 4.5W 3000K 301lm	HBB-D11L W160xD270xH268mm 31.5W 3000K 2000lm	HBB-D12C W160xD270xH268mm 37.5W 3000K 3000lm
---	---	---	--	---	---



PATH LIGHT

Light the way, providing safety, security, and style with outdoor path lights. Path lighting not only illuminates your walkways and landscape but also make a property seem larger when placed strategically.

LEDIUS PATH LIGHT

- 12V
- 24V

ON WALL



HBA-D08L
W220xD80xH80mm
2.2W 3000K 37lm



HBA-D08G
W220xD80xH80mm
2.2W 3000K 37lm



HBA-D08D
W220xD80xH80mm
2.2W 3000K 37lm

ON CONCRETE



HBF-D10L
W120xD114xH178mm
4.5W 3000K 72lm



HBF-D10C
W120xD114xH178mm
4.5W 3000K 72lm




HBF-D11L
W120xD114xH178mm
4.5W 3000K 34lm



HBF-D11C
W120xD114xH178mm
4.5W 3000K 34lm

ON GROUND



HBF-D27C
W110xD110xH127mm
1.2W 2700K 00lm



HBF-D26S
W145xD145xH150mm
3.5W 3000K 233lm




HBF-D26C
W145xD145xH150mm
3.5W 3000K 233lm

ON DECK



HBF-D35K
W120xD120xH178mm
5.0W 3000K 190lm




Add unique design to your pool or pond area with our wide selection of underwater lights to create a tasteful accented environment.

WATER LIGHT


LEDIUS WATER LIGHT

- 12V
- 24V


FLEXIBLE



HHA-D10S
W70xD101xH132mm
2.8W 3000K 160lm




HHA-D12S
W95xD127xH139mm
2.4W 3000K 285lm




HHA-D11S
W95xD106xH150mm
7.6W 3000K 570lm


MOUNTING




HHA-D07S
W135xD135xH123mm
9.0W 3000K 500lm



HHA-D06S
W86xD86xH136mm
2.5W 3000K 111lm




HHA-D13S
W55xD55xH111mm
2.6W 3000K 10lm




HHA-D14S
W55xD55xH111mm
2.6W 3000K 35lm


FOR FOUNTAIN



HHA-D09K
W165xD165xH60mm
6.0W 3000K 423lm




HHA-W09K
W165xD165xH60mm
6.0W 3000K 546lm



HHA-M09K
W165xD165xH60mm
9.0W RGB


FLOATING



HHA-D04T
W150xD150xH205mm
0.7W 3000K



HHA-D05T
W150xD150xH205mm
0.7W(x3pcs) 3000K




CEILING LIGHT

Create an inviting entry and a more lively outdoor entertainment area. Brighten front entries, porches, gazebos, covered patios and more with our wide selection of Outdoor Ceiling Lighting.


LEDIUS CEILING LIGHT

● 12V
● 24V


EMBEDDED



HBB-D03G
W62xD62xH22mm
3.4W 3000K 210lm



HBB-D03B
W62xD62xH22mm
3.4W 3000K 210lm




HBH-D02G
W95xD95xH57mm
3.7W 3000K 350lm




HBH-D05B
W84xD84xH72mm
3.5W 3000K 100lm



HCD-D03G
W45xD45xH47mm
1.3W 3000K 72lm



HCD-W03G
W45xD45xH47mm
1.3W 6000K 77lm



HCD-B03G
W45xD45xH47mm
1.3W 16lm


TRACK



HCE-D01K
W70xD140xH120mm
3.3W 3000K 285lm
Narrow light




HCE-D02K
W70xD140xH120mm
3.3W 3000K 290lm
Middle light



HCE-D03K
W160xD160xH103mm
3.8W 3000K 275lm



HCE-D03W
W160xD160xH103mm
3.8W 3000K 275lm



Decorative outdoor track lighting is a unique way to add atmosphere to your porch, patio or deck. Attach track heads to provide general illumination and accent lighting.


DIRECTED



HBD-D04G
W78xD78xH68mm
3.0W 2700K 250lm




HBH-D04B
W78xD78xH68mm
3.0W 2700K 250lm




LEDIUS DECORATION LIGHT

● 12V
● 24V


RATTAN



HBF-D16H
W220xD220xH213mm
4.0W 2700K 63lm




HBF-D16B
W220xD220xH213mm
4.0W 2700K 63lm




HBF-D09H
W500xD500xH850mm
2.6W 3000K 120lm



HBF-D08H
W400xD400xH550mm
2.6W 3000K 120lm



HBF-D09B
W500xD500xH850mm
2.6W 3000K 120lm



HBF-D08B
W400xD400xH550mm
2.6W 3000K 120lm


MARINE




HBF-D19X
W132xD132xH272mm
4.0W 2700K 224lm



HBF-D19S
W132xD132xH272mm
4.0W 2700K 224lm



HBF-D19B
W132xD132xH272mm
4.0W 2700K 224lm



HBF-D30B
W120xD185xH295mm
4.0W 2700K 224lm




HBF-D18X
W120xD160xH248mm
4.0W 2700K 224lm




HBF-D18S
W120xD160xH248mm
4.0W 2700K 224lm



HBF-D18B
W120xD160xH248mm
4.0W 2700K 224lm



HBF-D29B
W120xD120xH176mm
4.0W 2700K 224lm



HBF-D17X
W132xD132xH198mm
4.0W 2700K 224lm



HBF-D17S
W132xD132xH198mm
4.0W 2700K 224lm



HBF-D17B
W132xD132xH198mm
4.0W 2700K 224lm



LEDIUS ACCESSORY LIGHT

● 12V
● 24V

VISIBLE




HAC-D27T
W1000xD13xH6mm
3.2W 3000K 225lm



HAC-W27T
W1000xD13xH6mm
3.2W 4800K 175lm




HAC-B27T
W1000xD13xH6mm
8.0W 20lm




HAC-H27T
W1000xD13xH6mm
1.2W 2000K 45lm




INVISIBLE




HAC-D33T
W1000xD13xH13mm
3.2W 3000K 225lm



HAC-W33T
W1000xD13xH13mm
3.2W 4800K 175lm



HAC-B33T
W1000xD13xH13mm
8W 20lm



HAC-H33T
W1000xD13xH13mm
1.2W 2000K 45lm



With conventional flexible LED strips, bright dots can be seen; by using the dotless type, a uniform light is cast.

GAP LIGHTING



HBE-D07T
W77xD77xH105mm
2.8W 3000K 81lm



HBE-D08T
W102xD102xH105mm
2.8W 3000K 65lm



HBE-D05T
W77xD77xH141mm
2.8W 3000K 41lm



HBE-D06T
W102xD102xH141mm
2.8W 3000K 24lm



JAPANESE LIGHT

Materials and designs that harmonize with nature and soft light create a comfortable rhythm in the darkness, by creating a taste in the oriental garden.

LEDIUS JAPANESE LIGHT

MODERN



HGB-H06B
W133xD92xH267mm
2.5W 2000K 165lm



HGB-H06N
W133xD92xH267mm
2.5W 2000K 165lm



HGB-H04B
W140xD92xH140mm
2.5W 2000K 91lm



HGB-H04N
W140xD92xH140mm
2.5W 2000K 91lm



HGB-H07B
W70xD70xH600mm
2.5W 2000K 149lm




HGB-H07N
W70xD70xH600mm
2.5W 2000K 149lm



HGB-H08B
W70xD70xH450mm
2.5W 2000K 149lm



HGB-H08N
W70xD70xH450mm
2.5W 2000K 149lm



HGB-D10D
W100xD120xH495mm
1.2W 2700K 72lm



HGA-D13N
W125xD125xH193mm
4.0W 2700K 70lm




HGB-D09T
W205xD191xH120mm
2.6W 3000K 120lm



HONO-AKARI (2000k)

TRADITIONELL



HGB-D01K
W206xD206xH462mm
1.8W



HGB-D02K
W150xD150xH400mm
1.8W



HGA-Y02K
W150xD150xH510mm
1.3W



HGA-Y02S
W150xD150xH510mm
1.3W




HGA-Y04N
W170xD170xH495mm
1.2W



HGA-Y12A
W170xD170xH690mm
1.2W




HGA-Y12T
W170xD170xH690mm
1.2W



HGA-Y08N
W296xD296xH415mm
1.2W



HGA-Y06N
W135xD130xH310mm
1.2W



HBE-H09W/HBE-Y09W
W103xD85xH80mm
1.2 - 1.8W / 108-120lm



HBE-D01W/HBE-Y01W
W103xD85xH80mm
1.2-1.3W / 58-90lm

FLICKERING

NATURAL CANDLELIGHT



- 12V
- 24V

LEDIUS SYSTEM

● 12V
● 24V

TRANSFORMER

15w



HEA-015G/015I
For 15W
W75xD58xH194mm
Max. 2 branches

35w



HEA-021G/021I
For 35W
W178xD58xH169mm
Max. 4 branches

75w



HEA-016G/016I
For 75W
W222xD62xH171mm
Max. 4 branches

150w



HEA-017G/017I
For 150W
W271xD80xH215mm
Max. 6 branches

150w



HEA-014G/014I
For 150W
W271xD80xH215mm
Max. 6 branches

300w



HEA-006G/006I
For 300W
W430xD170xH352mm
Required to install it by a qualified person.

600w




HEA-007G/007I
For 600W
W570xD195xH409mm

●

CABLE CONNECTOR



HCE-0002
5m



HCE-035K
50m




HCE-029K
30m



HCE-030K
100m



HCE-0014
10 pieces / set



HCE-032G
10 pieces / set

●

JUNCTION BOX




HEC-0005
W84xD84xH265mm



HEC-057P
W80xD90xH155mm
Column: 70x70mm



HEC-084C
W140xD92xH140mm
2.5W 2000K 91lm



HEC-084S
W140xD92xH140mm
2.5W 2000K 91lm



HEC-083I
W70xD70xH600mm
2.5W 2000K 149lm




HEC-083G
W70xD70xH600mm
2.5W 2000K 149lm



HEC-083S
W70xD70xH450mm
2.5W 2000K 149lm

●

WIRE CONDUIT



HEC-012W
16mm PF conduit
10m



HEC-010W
16mm VE conduit
2m




HEC-011W
16mm VE C conduit




HEC-009W
16mm connector
PF-VE conduit



HEC-008W
16mm connector
Junction-VE conduit



CP-16A
16mm connector
Junction-PF conduit



HEC-082K
Bushing for 16mm
W23xD23xH32 (x2)

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m



CP-10A
10mm connector
Junction-PF conduit

●



CP-5
10mm PF conduit
5m




CP-10A
10mm connector
Junction-PF conduit




●



CP-5
10mm PF conduit

LEDIUS **EVER ART COLOR****WOOD** x 23**METAL** x 12

*Only for EVER ART light Square type.
**Only for EVER ART light Round type.

JAPANESE x 18EVER ART **POLE LIGHT**EVER ART **WALL LIGHT**LEDIUS **DATA BASE**

Possible to download and check information about LEDIUS at any places!!

FREE
OF
CHARGE**NO!**
registration
required**NO!**
Log in
required**LEDIUS** \ Much more items available to buy! /
PRODUCT DATA BASE


As there are more than about 1,500 items, the site helps you to check and compare the items with user-friendly functions. Get any information you need by one-click anywhere anytime.



English



Japanese

LEDIUS
DATA
BASE<http://db.ledius.jp/>About **1500**
items on the web**LEDIUS** \ EASY ! HOW TO PICK UP THE SYSTEM /
LIGHTING PLANNER

No worry to calculate the voltage drop!! This is a planning site automatically to choose accessories and calculate voltage drop and watts.



English



Japanese

LEDIUS
LOWVOLT
PLANNER<http://db.ledius.jp/planner/>ONLY!
3 easy steps
choose accessories
automatically!!

LEDIUS

... makes a value in your home.



**Takasho Co.,Ltd.**

20-1, Minami-akasaka, Kainan, Wakayama, 642-0017, Japan

Tel: +81-(0)73-486-2533

Fax: +81-(0)73-486-2563

email: takasho-global@takasho.co.jp

web: https://takasho.co.jp

**Takasho Co., Ltd. Zweigniederlassung EU**

Sulzbacher Str. 199, 71522 Backnang, Germany

Tel: +49 (0)7191-96933-0

Fax: +49 (0)7191-96933-20

E-Mail: contact@takasho.eu

Web: https://takasho.eu

https://alu-artport.de

**Takasho Australasia Pty. Ltd.**

32, Mickle Street Dandenong South Victoria 3175, Australia

Tel: +61-3-9706-4438

Fax: +61-3-9706-4439

email: ahogg@takasho.com.au

web: https://takasho.com.au

**Takasho Garden Living India Pte. Ltd.**

E-17, Siddhi Vinayak Towers, Behind DCP Office, Off. S. G. Highway, Makarba, Ahmedabad 380 051 Gujarat, India

Tel: +91-79-4898-251

email: customerservice@takasho.in

web: https://takasho.in

**Takasho Korea Branch Office**

19-66 Kyodonggil, Yangseung-myeon Anseong-si, Gyeonggi-do, Korea

Tel: +82-31-674-6150

Fax: +82-31-674-6152

email: takasho-global@takasho.co.jp

web: http://takasho.co.kr

**Takasho Vietnam Office**

The 4C floor of 86 Xuan Thuy St. Thao Dien Ward,

District 2, HCMC, Vietnam

Tel: +84-(0)8-6656-1648

Fax: +84-(0)8-6656-1648

**Hongkong Takasho Holdings Co., Ltd.**

8/F., Richmond Comm. Bldg. 109 Argyle St., Mong Kok, Kowloon, Hong Kong

Tel: +86 792-481-5673

**Takasho Shanghai Office**

Flat 25G, No379, Pudong(S) Rd., Shanghai China, 200120

Tel: +86-21-3383-1280

Fax: +86-21-3383-1279

**Jiangxi Takasho Import-Export Trade Co.,Ltd.****Jiujiang Takasho Gardening Product Co.,Ltd.**

South Garden, Gold Industry Garden, Ruichang City,

Jiangxi Province, China, 332200

Tel: +86-[0]792-4815788

Fax: +86-[0]792-4815675

**VegTrug Limited**

2B Wyncolls Road

Colchester Business Park

Colchester, Essex, CO4 9HU, United Kingdom

phone: +44-1206-230025

web: https://www.vegtrug.com

**VegTrug USA Inc.**

208 Progress Drive

Montgomeryville

PA 18936 United States of America

Tel: +1-(888)-908-2008